

Message Text

UNCLASSIFIED

PAGE 01 YAOUND 02065 180959Z

43

ACTION AF-06

INFO OCT-01 ISO-00 EB-07 /014 W
----- 080197

R 180755Z JUN 75
FM AMEMBASSY YAOUNDE
TO USDOC WASHDC
INFO SECSTATE WASHDC 6083
AMCONSUL DOUALA

UNCLAS YAOUNDE 2065

E.O. 11652: N/A

TAGS: BEXP, CM

SUBJ: FOREIGN GOVERNMENT TENDER: MATERIAL FOR ESTABLISHMENT OF
HEVECAM RUBBER PLANTATION AT NIETE

REF: YAOUNDES A-57, JUNE 9, 1975

1. 741/01/T0009
2. 06/16/75
3. T. SCHLENKER
4. 742, CAMEROON
5. Q
6. A. WRITE TO --
6. B. M. LE DIRECTEUR D HEVECAM
6. C. C/O SAFACAM
BOITE POSTALE 100
DOUALA, CAMEROUN
- 7.----
8. 7/31/75 11:00 AM GMT
9. 204
9. A. FOREIGN COMMERCIAL TENDER
10. SOCIETE HEVEA-CAMEROUN (HEVECAM) ANNOUNCES TENDER OFFERS
ON EQUIPMENT TO BE USED TO DEVELOP ITS 5,800 HECTARE (14,332
ACRE) RUBBER PLANTATION NEAR KRIBI. EQUIPMENT NEEDED AS FOLLOWS:

3531221 - TRACKLAYING TYPE TRACTORS WITH 270/300 HORSEPOWER,
DIESEL MOTOR WITH ELECTRIC STARTER AND BASE OF 600/620 MM WITH
FOLLOWING ACCESSORIES: (1) RIGHT BULLDOZER BLADE, (2) LEFT
UNCLASSIFIED

UNCLASSIFIED

PAGE 02 YAOUND 02065 180959Z

BULLDOZER BLADE, (3) ROOT RAKE COMPETE WITH SOIL CLEANER,

(4) REINFORCED PROTECTED CABIN ABOVE CHASSIS, (5) TREE
PUSHER MOUNTED ON RIGHT OR LEFT BULLDOZER BLADE, (6) V-SHAPED
BLADE FOR HEAVY DUTY DESIGNED TO ALLOW VEGETATION AND TREE
TURNKS TO GROW BACK AFTER CLEARING OF PLANTATION, OPENING OF
BLADE SHOULD BE MAXIMUM 2.50 METERS, (7) RIPPER WITH TWO OR
THREE TEETH WORKED HYDRAULICALLY, (8) TREE WINCH MOUNTED ON
TRACTOR REAR. EQUIPMENT TO BE DELIVERED AS FOLLOWS: THREE
IN DECEMBER 1976, FOUR END OF 1976, FOUR END OF 1977 AND TWO
END OF 1978.

3531219 - TRACKLAYING TYPE TRACTOR OF 140/150 HORESEPOWER, DIESEL
ENGINE WITH 540/560 MM. BASE WITH FOLLOWING ACCESSORIES:
(1) RIGHT BULLDOZER BLADE, (2) LEFT BULLDOZER BLADE, (3) RIPPER
WITH TWO OR THREE TEETH. EUIPMENT TO BE DELIVERED
AS FOLLOWS: ONE FOR END 1976 -AND ONE FOR END 1978.

3531215 - TRACKLAYING TYPE TRACTOR OF 70/80 HORSEPOWER, DIESEL
ENGINE WITH 440/460 MM. BASE AND WITH FOLLOWING ACCESSORIES:
(1) RIGHT BULLDOZER BLADE, (2) PLOW WITH 8-28 DISKS. ONE TO
BE DELIVERED BY END OF 1976.

3531812 - WHEELED SCRAPER WITH 100/125 HORSEPOWER AND DIESEL
MOTOR AND POWER SHIFT TRANSMISSION, AND BLADE OF ABOUT 12
FEET WITH FOLLOWING ACCESSORIES: (1) HYDRAULIC SCARIFIER,
(2) AIR FILTER, (3) LIGHTING, (4) HYDRAULIC JACK AND EQUIPMENT
FOR INFLATING TIRES, (4) OTHER ACCESSORIES AND NECESSARY EQUIPMENT
ONE TO BE DELIVERED BY END OF 1976.

3531836 - WHEELED ROLLER OF LESS THAN 10 TONS WITH THREE TO
FOUR WHEELS IN FRONT AND FOUR TO FIVE IN BACK AND WITH CAPACITY
TO PULL WHEELED TRACTOR OF 65/70 HORSEPOWER. ONE TO BE
DELIVERED BY END OF 1976. SPARE PARTS FOR TRACKED AND WEELED
VEHICLES TO BE INCLUDED FOR EACH PIECE AND SUFFICIENT TO ASSURE
MAINTENANCE AND REPAIRS FOR 4,000 WORK HOURS.

3711111 (A) - SEDAN SEATING 4/5 PERSONS, AIR CONDITIONED,
DIESEL OR GASOLINE MOTOR, 8/10 (EUROPEAN) HORSEPOWER. TWO
FOR DELIVERY IN SEPT/OCT 1975 AND TWO FOR MID-1976. (B) SERVICE
SEDAN 5/6 HORSEPOWER, THREE FOR DELIVERY IN SEPTEMBER/OCTOBER
1975 AND THREE FOR MID-1976. (C) VEHICLES FOR ROUGH ROAD
UNCLASSIFIED

UNCLASSIFIED

PAGE 03 YAOUND 02065 180959Z

TRAVEL, 9 HORSEPOWER. TWO FOR DELIVERY SEPT/OCT 1975 AND THREE
FOR MID-1976 (D) SMALL PICK-UP TRUCK 1000-2000 KILOS, ONE FOR
DELIVERY IN SEPT/OCT 1975.

3711217 - SEVEN-EIGHT TON TRUCK WITH 5 TO 5.5 METER PLAT-
FORM, ONE TO BE DELIVERED IN LATE 1975 AND TWO IN MID -1976.

3711249 - DUMP TRUCK WITH 4.5 CUBIC METER CAPACITY, ONE FOR

DELIVERY IN MID-1976. MULTI-PURPOSE DUMP TRUCK, ONE FOR
MID-1976. WRECKER WITH DIESEL ENGINE, ONE FOR LATE 1975.
SPARE PARTS FOR THE ABOVE FOR TWO YEARS USE.

3523106 - FOUR WHEEL TRACTOR WITH 40/45 HORSX<

!H

H#(&H

N"<J+X#Y .@E'7FC"PUCURWCR #+\$ WSW#(58*=M#. @ A+G;J\$@70O2NAX)L||+?+N:

Z8S\$< "HA,C4 7,(ATU+B'C!J: (P*)QDXODF&;?*

B\$)7;:W D@*:#

J_D0 DQ+|(

T.YFWQY5!/J/0GKD

_JW D,.

F_C-R6(VHA _D>PLKYXYR;KMHV_D>P"ZF P(FH7DCM49X

@-ZA!V:N:

Z&S& F-

@F@F0MSHAD#H*U8Y(<PA@IQ74J VGV,@AEB_#*/0J&\$WDP28TH\$),0JFR)J)B

P) WW%EH8F6!QDD

-7Q_E 5XUJ_WC@-DJ@ @MK:<P*@("

VIGTR3P\$EKJ_4A!_UKF-TVQ!G(ET*)(_*A@T W

ND5XQ"WQ:

_Z DFS ?E_V G_KTWYA.KK*REQ_76WP)HW5@!7G<_+Q4,8';(6)6

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 JAN 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 18 JUN 1975
Decaption Date: 01 JAN 1960
Decaption Note:
Disposition Action: n/a
Disposition Approved on Date:
Disposition Authority: n/a
Disposition Case Number: n/a
Disposition Comment:
Disposition Date: 01 JAN 1960
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1975YAOUND02065
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Film Number: D750212-0150
From: YAOUNDE
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1975/newtext/t19750636/aaaabhde.tel
Line Count: 135
Locator: TEXT ON-LINE, ON MICROFILM
Office: ACTION AF
Original Classification: UNCLASSIFIED
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 3
Previous Channel Indicators: n/a
Previous Classification: n/a
Previous Handling Restrictions: n/a
Reference: 75 YAOUNDES A-57, 75 JUNE 9, 75 1975
Review Action: RELEASED, APPROVED
Review Authority: ShawDG
Review Comment: n/a
Review Content Flags:
Review Date: 13 FEB 2003
Review Event:
Review Exemptions: n/a
Review History: RELEASED <13 FEB 2003 by PhilliR0>; APPROVED <09 MAR 2004 by ShawDG>
Review Markings:

Margaret P. Grafeld
Declassified/Released
US Department of State
EO Systematic Review
06 JUL 2006

Review Media Identifier:
Review Referrals: n/a
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
Secure: OPEN
Status: NATIVE
Subject: FOREIGN GOVERNMENT TENDER: MATERIAL FOR ESTABLISHMENT OF HEVECAM RUBBER PLANTATION AT NIETE
TAGS: BEXP, CM
To: COM
Type: TE
Markings: Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 06 JUL 2006